

Happy Camper



Pink Color Way

Blue Color Way

Bonus
Quilt



Featuring fabrics from the **Happy Camper** collection by Dtk Signature Designs for **STUDIO·e·fabrics**

Fabric Requirements

Blue Color Way

(A) 3123P-44	1 panel
(B) 3127-22	$\frac{2}{3}$ yard
(C) 3127-60	$\frac{2}{3}$ yard
(D) 3127-66	$\frac{1}{2}$ yard
(E) 3124-44	$\frac{1}{2}$ yard
(F) 3126-44	$\frac{1}{2}$ yard
(G) 3125-15	1 yard*
(H) 3128-22	$\frac{1}{3}$ yard
(I) 3126-11	2 $\frac{1}{8}$ yards
Backing	
3128-44	3 $\frac{3}{4}$ yards

Pink Color Way

(A) 3123P-44	1 panel
(B) 3127-60	$\frac{2}{3}$ yard
(C) 3127-22	$\frac{2}{3}$ yard
(D) 3127-66	$\frac{1}{2}$ yard
(E) 3124-44	$\frac{1}{2}$ yard
(F) 3126-11	$\frac{1}{2}$ yard
(G) 3125-21	1 yard*
(H) 3124-11	$\frac{1}{3}$ yard
(I) 3126-44	2 $\frac{1}{8}$ yards
Backing	
3128-22	3 $\frac{3}{4}$ yards

BONUS QUILT

(A) 3123P-44	1 panel
(B) 3124-44	$\frac{1}{4}$ yard
(C) 3127-66	$\frac{1}{4}$ yard
(D) 3128-22	$\frac{1}{4}$ yard
(E) 3125-21	$\frac{1}{4}$ yard*
Backing	
3126-44	1 $\frac{1}{8}$ yards

* Includes Binding

Additional Supplies Needed

Batting:
65" x 75" & 23" x 38"
Piecing & sewing thread
Quilting & sewing supplies
Quilts designed by:
Heidi Pridemore
Finished Quilt Size:
57" x 67"
Bonus Quilt Finished Size:
15" x 30"

Cutting

Blue Color Way - Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3123P-44 Panel – Multi), cut:

- First fussy cut (1) vertical column of (3) campers, approximately 9" x 24" for the Bonus Quilt.
- Then, fussy cut (9) remaining blocks, each approximately 7 $\frac{3}{4}$ " x 9" for the main quilt.

Fabric B (3127-22 Small Flower – Pink), cut:

- (1) 7 $\frac{3}{4}$ " x WOF strip, sub-cut (18) 1 $\frac{1}{2}$ " x 7 $\frac{3}{4}$ " strips.
- (1) 11" x WOF strip, sub-cut (18) 2" x 11" strips.

Fabric C (3127-60 Small Flower – Aqua), cut:

- (3) 5 $\frac{7}{8}$ " x WOF strips, sub-cut (18) 5 $\frac{7}{8}$ " squares. Cut the squares across one diagonal to make (36) triangles.

Fabric D (3127-66 Small Flower – Green), cut:

- (2) 6 $\frac{1}{4}$ " x WOF strips, sub-cut (9) 6 $\frac{1}{4}$ " squares. Cut the squares across both diagonals to make (36) triangles.

Fabric E (3124-44 Map – Beige), cut:

- (2) 6 $\frac{1}{4}$ " x WOF strips, sub-cut (9) 6 $\frac{1}{4}$ " squares. Cut the squares across both diagonals to make (36) triangles.

Fabric F (3126-44 Campers Allover – Beige), cut:

- Fussy cut (8) 5 $\frac{1}{2}$ " squares, each centered on a camper.

Fabric G (3125-15 Stripe – Blue), cut:

- (5) 2" x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 2" x 50 $\frac{1}{2}$ " strips and (2) 2" x 43 $\frac{1}{2}$ " strips.
- (7) 2 $\frac{1}{2}$ " x WOF strips for the binding.

Fabric H (3128-22 Words – Pink), cut:

- (5) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 1 $\frac{1}{2}$ " x 53 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{2}$ " x 45 $\frac{1}{2}$ " strips.

Fabric I (3126-11 Campers Allover – Blue), cut:

- (3) 6 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 6 $\frac{1}{2}$ " x 57 $\frac{1}{2}$ " strips.
- (2) 6 $\frac{1}{2}$ " x 55 $\frac{1}{2}$ " LOF strips.

Backing (3128-44 Words – Beige), cut:

- (2) 65" x WOF strips. Sew the strips together and trim to 65" x 75" for the back.

Cutting

Pink Color Way - Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3123P-44 Panel – Multi), cut:

- First fussy cut (1) vertical column of (3) campers, approximately 9" x 24" for the Bonus Quilt.
- Then, fussy cut (9) remaining blocks, each approximately 7 $\frac{3}{4}$ " x 9" for the main quilt.

Fabric B (3127-60 Small Flower – Aqua), cut:

- (1) 7 $\frac{3}{4}$ " x WOF strip, sub-cut (18) 1 $\frac{1}{2}$ " x 7 $\frac{3}{4}$ " strips.
- (1) 11" x WOF strip, sub-cut (18) 2" x 11" strips.

Fabric C (3127-22 Small Flower – Pink), cut:

- (3) 5 $\frac{7}{8}$ " x WOF strips, sub-cut (18) 5 $\frac{7}{8}$ " squares. Cut the squares across one diagonal to make (36) triangles.

Fabric D (3127-66 Small Flower – Green), cut:

- (2) 6 $\frac{1}{4}$ " x WOF strips, sub-cut (9) 6 $\frac{1}{4}$ " squares. Cut the squares across both diagonals to make (36) triangles.

Fabric E (3124-44 Map – Beige), cut:

- (2) 6 $\frac{1}{4}$ " x WOF strips, sub-cut (9) 6 $\frac{1}{4}$ " squares. Cut the squares across both diagonals to make (36) triangles.

Fabric F (3126-11 Campers Allover – Blue), cut:

- Fussy cut (8) 5 $\frac{1}{2}$ " squares, each centered on a camper.

Fabric G (3125-21 Stripe – Pink), cut:

- (5) 2" x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 2" x 50 $\frac{1}{2}$ " strips and (2) 2" x 43 $\frac{1}{2}$ " strips.
- (7) 2 $\frac{1}{2}$ " x WOF strips for the binding.

Fabric H (3124-11 Map - Blue), cut:

- (5) 1 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 1 $\frac{1}{2}$ " x 53 $\frac{1}{2}$ " strips and (2) 1 $\frac{1}{2}$ " x 45 $\frac{1}{2}$ " strips.

Fabric I (3126-44 Campers Allover – Beige), cut:

- (3) 6 $\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams, and cut (2) 6 $\frac{1}{2}$ " x 57 $\frac{1}{2}$ " strips.
- (2) 6 $\frac{1}{2}$ " x 55 $\frac{1}{2}$ " LOF strips.

Backing (3128-22 Words – Pink), cut:

- (2) 65" x WOF strips. Sew the strips together and trim to 65" x 75" for the back.

Sewing

Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

Block Assembly

1. Sew (1) Fabric C triangle, (1) Fabric D triangle and (1) Fabric E triangle together to make (1) Block 1 (Fig. 1). Repeat to make (18) Block 1's total.
2. Sew (1) Fabric D triangle, (1) Fabric E triangle and (1) Fabric C triangle together to make (1) Block 2 (Fig. 2). Repeat to make (18) Block 2's total.
3. Sew (1) $1\frac{1}{2}$ " x $7\frac{3}{4}$ " Fabric B strip to each side of (1) $7\frac{3}{4}$ " x 9" Fabric A strip. Sew (1) 2" x 11" Fabric B strip to the top and to the bottom of the Fabric A strip. Trim the block to measure $10\frac{1}{2}$ " square to make (1) Block 3 (Fig. 3). Repeat to make (9) Block 3's total.




Fig. 1




Fig. 2




Fig. 3

4. Sew (2) Block 1's together to make (1) Block 11. Repeat to make (6) Block 11's total.
5. Sew (1) Block 1 and (1) Block 2 together to make (1) Block 12. Repeat to make (6) Block 12's total.
6. Sew (2) Block 2's together to make (1) Block 22. Repeat to make (6) Block 22's total.

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

7. Sew (1) Block 11, (1) $5\frac{1}{2}$ " Fabric F square, (1) Block 12, (1) $5\frac{1}{2}$ " Fabric F square and (1) Block 22 together, in that order, to make Row One. Repeat to make Row Three.
8. Sew (3) Block 3's, (1) Block 22 and (1) Block 11 together to make Row Two. Repeat to make Row Six *(Note: Block 11 and Block 22 switch position)*.
9. Sew (3) Block 3's and (2) Block 12's, alternating them, to make Row Four. Pay attention to the orientation of the Block 12's.
10. Sew (1) Block 22, (1) $5\frac{1}{2}$ " Fabric F square, (1) Block 21, (1) $5\frac{1}{2}$ " Fabric F square and (1) Block 11 together, in that order, to make Row Five. Repeat to make Row Seven.
11. Sew the (7) rows together, in numerical order, to make the quilt top.
12. Sew (1) 2" x $50\frac{1}{2}$ " Fabric G strip to each side of the quilt top. Sew (1) 2" x $43\frac{1}{2}$ " Fabric G strip to the top and to the bottom of the quilt top.
13. Sew (1) $1\frac{1}{2}$ " x $53\frac{1}{2}$ " Fabric H strip to each side of the quilt top. Sew (1) $1\frac{1}{2}$ " x $45\frac{1}{2}$ " Fabric H strip to the top and to the bottom of the quilt top.

14. Sew (1) 6 ½" x 55 ½" Fabric I strip to each side of the quilt top. Sew (1) 6 ½" x 57 ½" Fabric I strip to the top and to the bottom of the quilt top.


Layering, Quilting and Finishing

15. Press the quilt top and 65" x 75" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

Binding

16. Cut the ends of the (7) Fabric G binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.

17. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout

BONUS QUILT - Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge.

WOF= Width of Fabric • LOF = Length of Fabric

Fabric A (3123P-44 Panel – Multi), cut:

- See main quilt cutting instructions.

Fabric B (3124-44 Map – Beige), cut:

- (2) 1 ½" x 24" WOF strips.
- (1) 1 ½" x WOF strip, sub-cut (2) 1 ½" x 11" strips.

Fabric C (3127-66 Small Flower – Green), cut:

- (2) 3" x WOF strips, sub-cut (16) 3" squares.

Fabric D (3128-22 Words – Pink), cut:

- (2) 3" x WOF strips, sub-cut (16) 3" squares.

Fabric E (3125-21 Stripe – Pink), cut:

- (3) 2 ½" x WOF strips for the binding.

Backing (3126-44 Campers Allover – Beige), cut:

- (1) 23" x 38" strip for the back.

BONUS QUILT - Block Assembly

1. Sew (1) 1 ½" x 24" Fabric B strip to each side of the 9" x 24" Fabric A strip. Sew (1) 1 ½" x 11" Fabric B strip to the top and to the bottom of the Fabric A strip. Trim the block to measure 10 ½" x 25 ½" to make the center block (Bonus Fig. 1).

BONUS QUILT - Quilt Top Assembly


(Follow the Bonus Quilt Layout while assembling the quilt top.)

2. Sew (5) 3" Fabric D squares and (5) 3" Fabric C squares together, alternating them, to make (1) strip. Repeat to make a second strip. Sew (1) strip to each side of the center block.


3. Sew (3) 3" Fabric C squares and (3) 3" Fabric D squares together to make (1) strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the center block to make the quilt top.

BONUS QUILT - Layering, Quilting and Finishing

4. Press the quilt top and 23" x 38" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.



Bonus Fig. 1



Bonus Quilt Layout

BONUS QUILT - Binding

5. Cut the ends of the (3) Fabric E binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.
6. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.